



Bestway®

WATERSPORTS

2025 CATALOG

2025 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*
Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



Bestway



ANNIVERSARY
1994 — 2024

Three decades ago, Bestway created its very first product: a beach ball!

Since then, Bestway has produced over **1,100 products** in more than **120 countries** worldwide. In fact, 1 in 50 people around the world owns a Bestway product.

From our commitment to **innovation** and assuring the highest **quality** possible, to our vertically integrated manufacturing systems and **sustainability** efforts, every product Bestway creates centers on one goal: to help our customers get the most out of life by enjoying more adventure and making more memories.

Here's to the first 30 years, and to many, many more as we help people "**Live It Up!**"

OUR VISION & MISSION

Our Vision has remained the same since we created our very first product – a simple beach ball – in 1994: to create high-quality, innovative, recreational products that bring fun, relaxation and adventure to people’s lives. Behind that vision is our mission to create memorable experiences for families who want to splash into summer, relax in winter and make the most of every moment year-round.

Now over 30 years later, **Bestway** has forged a global presence in more than 120 countries by developing over 1,100 products and becoming forward-thinkers about sustainable business practices.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. Our advanced online services and customer service team allow customers to easily resolve issues that arise with their products, offer downloadable manuals and instructional videos, answers to their frequently asked questions and call support.



VERTICALLY INTEGRATED



CUSTOMER FOCUSED



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

WHAT'S NEW AT BESTWAY

In 2020, Bestway opened our doors to a **new, clean, state-of-the-art manufacturing facility in Vietnam** in an effort to diversify our production capabilities globally. With rapid plans for expansion, this new facility offers additional tariff-saving opportunities and flexibility in Bestway's global manufacturing efforts.

Our Vietnam facility currently manufactures air mattresses, air pumps, pool filter pumps, inflatable pools, pool covers and trampolines. These products go through extensive PVC, lab and lifecycle testing to ensure high-quality and longevity.



VIETNAM QA TESTING PROCESS





GLOBAL FACTORIES



JIANGSU



HAIAN



NANTONG



SHANGHAI



VIETNAM

AROUND THE WORLD



SHANGHAI, CHINA HQ • PRODUCTION

No. 208 Jin Yuan Wu Road, Shanghai,
201812, China
+86 21 6913 5588
info@bestwaycorp.com



CHANDLER, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286,
United States of America
+1 480 838 3888
info@bestwaycorp.us



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
+852 2997 7169
info@bestwaycorp.hk



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098
San Giuliano M.se (Mi), Italy
+39 02 9884 881
info@bestwaycorp.eu



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148
9700 Oudenaarde, Belgium
+32 55 60 42 02
info@bestwaycorp.be



COPENHAGEN, DENMARK SUBSIDIARY

Amagertorv 17, 3rd Fl DK-1160
Copenhagen K Denmark
+45 78744569
info@bestwayscandinavia.eu



DUBAI, U.A.E. SUBSIDIARY

International Media Production Zone (IMPZ) Plot C22
Dubai, United Arab Emirates
+971 55 859 3104 / +971 4 2476 743
info@bestwayme.com



HAMBURG, GERMANY SUBSIDIARY

Parkstraße 11 24534
Neumünster, Germany
+49 4321 555 05 - 0
info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières
69700 Chassagny Beauvallon
+33 4 97 04 92 99
info@bestwaycorp.fr



MOSCOW, RUSSIA SUBSIDIARY

Moscow, metro Taganskaya,
st. Bolshiye Kamenshchiki, 6, building 1
+8 (499) 501-11-64
info@bestway-russia.ru



SAN PAULO, BRAZIL SUBSIDIARY

Av Cerro Azul, 2783 Maringá - PR - Brazil
Zip Code: 87010-055
+55 44 3052-6006
info@bestwaycorp.com.br



SANTIAGO, CHILE SUBSIDIARY

Salar Ascotan 1282, Parque Enea, Pudahuel,
Santiago, Chile
+562 3203 6438
info@bestwaycorp.lat



SYDNEY, AUSTRALIA SUBSIDIARY

Unit 2/98-104 Carnarvon St Silverwater,
NSW 2128, Australia
+61 2 9037 1388
info@bestwaycorp.com.au



WARSAW, POLAND SUBSIDIARY

Ul. Ekologiczna 24 05-080
Kludryn Poland
+48 22 60 22 508
info@bestwaycorp.pl

B THE CHANGE MISSION

Our Commitment to a Better Future


As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,383,000 square feet of factory buildings, each covered in solar panels to equal about 40 soccer fields. As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging.**



Bestway Nantong



7.5%
OVERALL ENERGY
POWERED
BY SOLAR




40
SOCCER FIELDS
WORTH OF
SOLAR
PANELS



99.7%
OF SCRAP
MATERIALS ARE
REUSED*
*.3% of waste is incinerated



OVER
35,000
TONS OF PVC
REUSED IN 2022



BOXES MADE WITH
90%
POST-CONSUMER
**RECYCLED
MATERIAL**



96%
RECYCLABLE
PACKAGING




CONTENTS

BOARDS	14
KAYAKS	34
RAFTS	54
BOATS	72
FLOATS	82
ACCESSORIES	104
INDEX	118



BRAND UPDATE

LOGO



2018 - 2024

2025 - PRESENT

PACKAGING

The new Hydro Force® has arrived! With a re-imagined logo and more modern design, our new branding feels both sporty and premium. We placed great emphasis on individual and unique features as well as updated photography to make a consumer feel both knowledgeable and inspired by our products.

*SUP packaging to be updated in 2026.



OLD PACKAGING

NEW PACKAGING

OVERVIEW

LOGO

An updated, modernized logo and brandmark

PHOTO CALLOUTS

A clear visual of the individual product features

UNIFIED COLOR SCHEME

Declutters the brand and provides a sleek, modern look to our packaging



DYNAMIC HERO IMAGERY

Lower angle with background scenery for a more aspirational feel

DARK BACKGROUND & WAVE TEXTURE

Creates a sharp, high-end foundation to elevate the product imagery, callouts and features

PRODUCT CATEGORY

Brief description of product level and usage for more informed consumer buying decision

PRODUCT CATEGORIES

RECREATIONAL

Wide shape for balance in a variety of water conditions

TOURING

Narrow shape cuts through water to quickly cover long distances

WHITewater

Designed for efficient maneuverability and spray protection in rough water

FISHING

Spacious design with enhanced stability and added fishing features

SEEK YOUR ADVENTURE

BOARDS

Stand-up paddleboarding (SUP) has become incredibly popular across the globe, and with a wide variety of Hydro Force® boards to choose from, there's a board for everyone. The engineering team at Bestway® creates boards for both beginners and experienced riders to explore. Each board is crafted, fine-tuned, and ranked for overall maneuverability, tracking, stability, and speed. Year after year, Hydro Force® continues to rule the SUP lineup!





BENEFITS

Bestway's inflatable SUP line offers all the advantages that come along with hard boards, plus these added benefits:

- **Easy to transport in a car or on a plane** — a true money saver, as there is no need to purchase a roof rack or pay expensive shipping costs
- **A great choice for beginners** — the thicker material is generally more stable than a hard board
- **Sold as a package deal** — everything that's needed is included in one lightweight, grab-and-go carrier
- **Tough and springy** — the flexible material is more resilient than a hard board


Ease and portability make an inflatable SUP the ultimate board, especially for beginners. Some models even come with a convenient kit to convert the paddleboard into a kayak, giving the user two options every time they cruise the open water. With a Hydro Force® SUP, anyone can have a summer of adventures.



TECHNOLOGY


PVC LAMINATED FORTIFIBER™

FortiFiber™ drop stitch construction consists of internal threads that create exceptional rigidity and strength for a balanced and stable ride



TRITECH® LAMINATED FORTIFIBER™

The strength and stability of FortiFiber™ drop stitch construction is made even stronger with triple-layer Trittech® exterior walls that provide added structure and shape



FEATURES

CONVERTIBLE / KAYAK SEAT

Includes seat and footrest, plus convertible paddle, for use as SUP or kayak



PANORAMA WINDOW

- Open cover to see the water below
- Close cover during rougher water conditions or to prevent glare from sun

TRAVELTECH™ DESIGN

Folds horizontally and vertically, for 40% more compact structure than traditional inflatable boards and comes with a compact backpack for easy transport



PLANOGRAM STORE DISPLAY



Actual in-store displays may vary.
*SUP packaging to be updated in 2026.

BOARDS MATRIX

**AQUA JOURNEY
SET
65349**

**OCEANA
CONVERTIBLE SET
65350**

**KAHAWAI
SET
65308**

**PANORAMA™
SET
65363**

13 FT. (3.96 M)
12 FT. (3.66 M)
11 FT. (3.35 M)
10 FT. (3.05 M)
9 FT. (2.74 M)
8 FT. (2.44 M)
7 FT. (2.13 M)
6 FT. (1.83 M)
5 FT. (1.52 M)
4 FT. (1.22 M)
3 FT. (91 CM)
2 FT. (61 CM)
1 FT. (30 CM)



LENGTH	9 ft. (2.74 m)	10 ft. (3.05 m)	10 ft. 2 in. (3.10 m)	11 ft. 2 in. (3.40 m)																																
WIDTH	30 in. (76 cm)	33 in. (84 cm)	34 in. (86 cm)	35 in. (89 cm)																																
THICKNESS	4.75 in. (12 cm)	4.75 in. (12 cm)	6 in. (15 cm)	6 in. (15 cm)																																
WEIGHT CAPACITY	220 lbs (100 kg)	265 lbs (120 kg)	309 lbs (140 kg)	330 lbs (150 kg)																																
INTERNAL VOLUME	55 gal. (208 L)	67 gal. (256 L)	87 gal. (330 L)	89 gal. (338 L)																																
PRESSURE	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)																																
CATEGORY	All-Around	All-Around	River	Touring																																
SEATED OPTION		•																																		
OARS	•	•	•	•																																
FINS																																				
PERFORMANCE	<table border="0"> <tr> <td>MANEUVERABILITY</td> <td>TRACKING</td> </tr> <tr> <td>●●●●●</td> <td>●●●●○</td> </tr> <tr> <td>STABILITY</td> <td>SPEED</td> </tr> <tr> <td>●●●●●</td> <td>●●●○○</td> </tr> </table>	MANEUVERABILITY	TRACKING	●●●●●	●●●●○	STABILITY	SPEED	●●●●●	●●●○○	<table border="0"> <tr> <td>MANEUVERABILITY</td> <td>TRACKING</td> </tr> <tr> <td>●●●●●</td> <td>●●●○○</td> </tr> <tr> <td>STABILITY</td> <td>SPEED</td> </tr> <tr> <td>●●●●●</td> <td>●●○○○</td> </tr> </table>	MANEUVERABILITY	TRACKING	●●●●●	●●●○○	STABILITY	SPEED	●●●●●	●●○○○	<table border="0"> <tr> <td>MANEUVERABILITY</td> <td>TRACKING</td> </tr> <tr> <td>●●●●○</td> <td>●●●●●</td> </tr> <tr> <td>STABILITY</td> <td>SPEED</td> </tr> <tr> <td>●●●●○</td> <td>●●●●○</td> </tr> </table>	MANEUVERABILITY	TRACKING	●●●●○	●●●●●	STABILITY	SPEED	●●●●○	●●●●○	<table border="0"> <tr> <td>MANEUVERABILITY</td> <td>TRACKING</td> </tr> <tr> <td>●●●●●</td> <td>●●●●○</td> </tr> <tr> <td>STABILITY</td> <td>SPEED</td> </tr> <tr> <td>●●●●●</td> <td>●●●●○</td> </tr> </table>	MANEUVERABILITY	TRACKING	●●●●●	●●●●○	STABILITY	SPEED	●●●●●	●●●●○
MANEUVERABILITY	TRACKING																																			
●●●●●	●●●●○																																			
STABILITY	SPEED																																			
●●●●●	●●●○○																																			
MANEUVERABILITY	TRACKING																																			
●●●●●	●●●○○																																			
STABILITY	SPEED																																			
●●●●●	●●○○○																																			
MANEUVERABILITY	TRACKING																																			
●●●●○	●●●●●																																			
STABILITY	SPEED																																			
●●●●○	●●●●○																																			
MANEUVERABILITY	TRACKING																																			
●●●●●	●●●●○																																			
STABILITY	SPEED																																			
●●●●●	●●●●○																																			

**FREESOUL™ TECH
CONVERTIBLE SET**
65310



11 ft. 2 in. (3.40 m)

35 in. (89 cm)

6 in. (15 cm)

353 lbs (160 kg)

96 gal. (366 L)

15 psi (1.03 bar)

Touring



**AQUA EXCURSION™
TECH SET**
65373



12 ft. 6 in. (3.81 m)

31 in. (79 cm)

6 in. (15 cm)

265 lbs (120 kg)

98 gal. (373 L)

15 psi (1.03 bar)

Touring



AQUA JOURNEY SET

PADDLEBOARD

65349

INFLATED SIZE

9 ft. x 30 in. x 4.75 in. / 2.74 m x 76 cm x 12 cm

FEATURES

1. Non-slip traction pad
2. Convenient deck handle to easily carry the SUP
3. Stainless steel ring located at the stem and stern for attachment
4. Single action analog pump
5. Adjustable 85 in. (217 cm) paddle
6. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Backpack
- Coiled leash
- Fin
- Repair kit

SPECIFICATIONS

MATERIAL	FortiFiber™ Drop Stitch
CATEGORY	All-Around
SHAPED FOR	Flat water + Small wave riding
WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	241 lbs (10.9 kg)
PACKAGING	Full color box





OCEANA CONVERTIBLE SET PADDLEBOARD

65350

INFLATED SIZE

10 ft. x 33 in. x 4.75 in. / 3.05 m x 84 cm x 12 cm

FEATURES

1. Non-slip traction pad
2. Detachable seat with back and footrest
3. Stainless steel ring located at the stem and stern for attachment
4. Elastic cord for extra storage
5. Adjustable 85 in. (217 cm) paddle can be converted to a double-bladed oar
6. Single action analog pump
7. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Backpack
- Coiled leash
- Seat
- Footrest
- Fin
- Repair kit

SPECIFICATIONS

MATERIAL	FortiFiber™ Drop Stitch
CATEGORY	All-Around
SHAPED FOR	Flat water + Small wave riding
WEIGHT CAPACITY	265 lbs (120 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	30.8 lbs (14.0 kg)
PACKAGING	Full color box





KAHAWAI SET

PADDLEBOARD

65308

INFLATED SIZE

10 ft. 2 in. x 34 in. x 6 in. / 310 m x 86 cm x 15 cm

FEATURES

1. Long rubber fins have greater directionality with strong undertow
2. Non-slip traction pad
3. Multiple convenient handles to easily carry the SUP and for grabbing during use on river
4. Stainless steel ring located at the stem and stern for attachments
5. Single action analog pump
6. Elastic cord for extra storage
7. Adjustable 85 in. (217 cm) paddle
8. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Backpack
- 3 fins
- Coiled leash
- Repair kit

SPECIFICATIONS

MATERIAL	FortiFiber™ Drop Stitch
CATEGORY	River
SHAPED FOR	Flat water + Longer Rides
WEIGHT CAPACITY	309 lbs (140 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	28.9 lbs (13.1 kg)
PACKAGING	Full color box





PANORAMA™ SET

PADDLEBOARD

65363

INFLATED SIZE

11 ft. 2 in. x 35 in. x 6 in. / 3.40 m x 89 cm x 15 cm

FEATURES

1. Built-in window with cover allows the user to see through to the water below
2. Non-slip traction pad
3. 1 removable fin
4. Convenient side and deck handles to easily carry the SUP
5. Elastic cord for extra storage
6. Stainless steel ring located at the stem and stern for leash attachment or docking
7. Double action analog pump
8. Adjustable 85 in. (217 cm) paddle
9. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Backpack
- Coiled leash
- Fin
- Repair kit

SPECIFICATIONS

MATERIAL	FortiFiber™ Drop Stitch
CATEGORY	Touring
SHAPED FOR	Flat water + Longer Rides
WEIGHT CAPACITY	330 lbs (150 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	31.6 lbs (14.3 kg)
PACKAGING	Full color box





FREESOUL™ TECH CONVERTIBLE SET PADDLEBOARD

65310

INFLATED SIZE

11 ft. 2 in. x 35 in. x 6 in. / 3.40 m x 89 cm x 15 cm

FEATURES

1. Non-slip traction pad
2. 2 removable fins
3. Convenient side handles to easily carry the SUP
4. Elastic cord for extra storage
5. Stainless steel ring located at the stem and stern for attachment
6. Double action analog pump
7. Adjustable 85 in. (217 cm) paddle can be converted to a double-bladed oar
8. Detachable seat with back and footrest
9. Quick rig connector (mast foot base not included)
10. Bottle holder
11. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Deluxe backpack
- Coiled leash
- Seat
- Footrest
- 2 fins
- Repair kit

SPECIFICATIONS

MATERIAL	Tritech® laminated FortiFiber™ Drop Stitch
CATEGORY	Touring
SHAPED FOR	Flat water + Longer rides
WEIGHT CAPACITY	353 lbs (160 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	43.1 lbs (19.6 kg)
PACKAGING	Full color box





AQUA EXCURSION™ TECH SET PADDLEBOARD

65373

INFLATED SIZE

12 ft. 6 in. x 31 in. x 6 in. / 3.81 m x 79 cm x 15 cm

FEATURES

1. Non-slip traction pad
2. 1 removable fin
3. Bottle holder with adjustable elastic
4. Convenient deck handle to easily carry the SUP
5. Elastic cord for extra storage
6. Stainless steel ring located at the stem and stern for attachment
7. Double action analog pump
8. Adjustable 85 in. (217 cm) paddle
9. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Deluxe backpack
- Coiled leash
- Fin
- Repair kit

SPECIFICATIONS

MATERIAL	Tritech® laminated FortiFiber™ Drop Stitch
CATEGORY	Race/Fast Touring
SHAPED FOR	Flat water + Longer rides
WEIGHT CAPACITY	265 lbs (120 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	37.3 lbs (16.9 kg)
PACKAGING	Full color box





THE GREAT OUTDOORS

KAYAKS

Every water explorer can find what they're looking for with the wide range of kayaks and boats the Hydro Force® line has to offer. From different sizes to materials, these kayaks are perfect for beginners and advanced adventurers alike. With the added benefits of storage and portability that come with inflatable products, Hydro Force® kayaks and boats are the ideal choices for both first-time and avid kayakers.



HYDRO
FORCE



PLANOGRAM STORE DISPLAY




Actual in-store displays may vary.

ENHANCED MATERIALS



INFLATA-SHIELD™ **INFLATA-SHIELD PRO™**

- ENHANCES PUNCTURE-RESISTANCE
- INCREASES TENSILE STRETCH-RESISTANCE FOR RIGIDITY AND SPEED WHEN PADDLING
- IMPROVES PRESSURE RETENTION, MAXIMIZING STABILITY AND MINIMIZING AIR LOSS



FORTIFIBER™ + FORTIFIBER™ AIRE **DROP STITCH CONSTRUCTION**

- COMPOSED OF THOUSANDS OF DROP STITCH THREADS CREATING A DURABLE, RIGID STRUCTURE THAT IS ALSO LIGHTWEIGHT AND PORTABLE



TRITECH® 3-PLY **CONSTRUCTION**

- ENGINEERED FOR DURABILITY WITH ENHANCED ABRASION RESISTANCE AND IS MORE PUNCTURE-RESISTANT
(THAN A STANDARD PVC KAYAK/RAFT/BOAT)



PREMIUM 100% **NYLON COVER**

- HAS GREATER PRESSURE RETENTION AND RIGIDITY WITH INCREASED PUNCTURE-RESISTANCE AND DURABILITY AGAINST THE ELEMENTS
(THAN A STANDARD PVC KAYAK/RAFT/BOAT)

KAYAKS MATRIX

NEW

NEW GEN

**RAPID™
X1 KAYAK SET**
65176/E

**RAPID™
X2 KAYAK SET**
65077/E

**RAPID™
X3 KAYAK SET**
65132/E

**VENTURA ELITE™
X1 KAYAK SET**
65118/E

**VENTURA ELITE™
X2 KAYAK SET**
65052/E

**COVE CHAMPION™
X1 KAYAK SET**
65115/E

13 FT. (3.96 M)
12 FT. (3.66 M)
11 FT. (3.35 M)
10 FT. (3.05 M)
9 FT. (2.74 M)
8 FT. (2.44 M)
7 FT. (2.13 M)
6 FT. (1.83 M)
5 FT. (1.52 M)
4 FT. (1.22 M)
3 FT. (91 CM)
2 FT. (61 CM)
1 FT. (30 CM)



INFLATED LENGTH	9 ft. 6 in. (2.90 m)	10 ft. 6 in. (3.21 m)	12 ft. 6 in. (3.81 m)	9 ft. 2 in. (2.80 m)	10 ft. 10 in. (3.30 m)	9 ft. (2.75 m)	
INFLATED WIDTH	36 in. (91 cm)	39 in. (1.00 m)	39 in. (1.00 m)	34 in. (86 cm)	34 in. (86 cm)	32 in. (81 cm)	
WEIGHT CAPACITY	265 lbs (120 kg)	485 lbs (220 kg)	617 lbs (280 kg)	286 lbs (130 kg)	485 lbs (220 kg)	265 lbs (120 kg)	
INTERNAL PRESSURE	0.5 PSI (0.034 BAR)	0.5 PSI (0.034 BAR)	1 PSI (0.070 BAR)	1 PSI (0.070 BAR)	1 PSI (0.070 BAR)	0.5 PSI (0.034 BAR)	
PADDLES	1	2	2	1	2	1	
PASSENGERS							
CATEGORY	Recreational	Recreational	Recreational	Recreational	Recreational	Touring	
PERFORMANCE RATING	MANEUVERABILITY ●●●●○ TRACKING ○●●●○ STABILITY ●●●●○ SPEED ●●●●○						

NEW

**COVE CHAMPION™
X2 KAYAK SET**
65131/E

**DASH ELITE™
X1 KAYAK SET**
65178/E



10 ft. 10 in. (3.31 m)

11 ft. (3.35 m)

35 in. (88 cm)

36 in. (92 cm)

485 lbs (220 kg)

375 lbs (170 kg)

0.5 PSI (0.034 BAR)

3 PSI (0.210 BAR) / 10 PSI (0.700 BAR)

2

1



Touring

Touring





NEW

RAPID™ X1 KAYAK SET

65176/E

INFLATED SIZE

9 ft. 6 in. x 36 in. / 2.90 m x 91 cm

DEFLATED SIZE

9 ft. 6 in. x 37 in. / 2.90 m x 95 cm

FEATURES

1. Firm and rigid inflatable floor
2. Open cockpit for easy entry and exit
3. Adjustable inflatable seat for comfortable seating
4. 2 removable fins in different sizes for directional support in various water conditions
5. 2 heavy-duty carry handles
6. 91 in. (230 cm) aluminum paddle (#62174)
7. Air Hammer™ 1850 mL dual action hand pump (#62003)
8. Interlocking quick-release valves
9. Drain valve

CONTENTS

- Kayak
- Paddle
- Hand pump
- 2 fins
- Carry bag
- Repair patch

SPECIFICATIONS

	65176E	65176
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	265 lbs (120 kg)	265 lbs (120 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	22.8 lbs (10.4kg)	22.8 lbs (10.4kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



**2 REMOVABLE FINS
IN DIFFERENT SIZES**

NEW
GEN

RAPID™ X2 KAYAK SET

65077/E

INFLATED SIZE

10 ft. 6 in. x 39 in. / 3.21 m x 1.00 m

DEFLATED SIZE

10 ft. 8 in. x 39 in. / 3.25 m x 1.00 m

FEATURES

1. Firm and rigid inflatable floor
2. Open cockpit for easy entry and exit
3. 2 adjustable inflatable seats for comfortable seating
4. 2 removable fins in different sizes for directional support in various water conditions
5. 2 heavy-duty carry handles
6. Pair of 91 in. (230 cm) aluminum paddles (#62174)
7. Air Hammer™ 1850 mL dual action hand pump (#62003)
8. Interlocking quick-release valves
9. Drain valve

CONTENTS

- Kayak
- 2 paddles
- Hand pump
- 2 fins
- Carry bag
- Repair patch



2 REMOVABLE FINS
IN DIFFERENT SIZES

SPECIFICATIONS

	65077E	65077
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	485 lbs (220 kg)	485 lbs (220 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	29.2 lbs (13.3kg)	29.2 lbs (13.3kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



NEW
GEN

RAPID™ X3 KAYAK SET

65132/E

INFLATED SIZE

12 ft. 6 in. x 39 in. / 3.81 m x 1.00 m

DEFLATED SIZE

12 ft. 8 in. x 39 in. / 3.85 m x 1.00 m

FEATURES

1. Firm and rigid inflatable floor
2. Open cockpit for easy entry and exit
3. 3 adjustable inflatable seats for comfortable seating
4. 2 removable fins in different sizes for directional support in various water conditions
5. 2 heavy-duty carry handles
6. Pair of 91 in. (230 cm) aluminum paddles (#62174)
7. Air Hammer™ 2800 mL dual action hand pump (#62086)
8. Quick-inflation / deflation Boston valves
9. Drain valve

CONTENTS


- Kayak
- 2 paddles
- Hand pump
- 2 fins
- Carry bag
- Repair patch

SPECIFICATIONS

	65132E	65132
MATERIAL	Inflata-Shield Pro™	Inflata-Shield Pro™
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	43.2 lbs (19.6kg)	43.2 lbs (19.6kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



2 REMOVABLE FINS
IN DIFFERENT SIZES



INFLATA-
SHIELD
PRO™



**NEW
GEN**

VENTURA ELITE™ X1 KAYAK SET

65118/E

INFLATED SIZE

9 ft. 2 in. x 34 in. / 2.80 m x 86 cm

DEFLATED SIZE

9 ft. 4 in. x 44 in. / 2.85 m x 113 cm

FEATURES

1. Nylon cover is removable for easy cleaning
2. 2 removable side chambers & I-beam floor made from heavy-duty PVC
3. Adjustable, molded foam seat with storage compartment
4. Oar clasps to secure paddles when not in use
5. 2 removable fins in different sizes for directional support in various water conditions
6. Partial grab ropes with built-in grommets
7. 4 heavy-duty carry handles
8. 91 in. (230 cm) aluminum paddle (#62174)
9. Air Hammer™ 2800 mL dual action hand pump (#62086)
10. Removable mesh gear bag
11. Quick-inflation / deflation Boston valves
12. Drain valve

CONTENTS

- Kayak
- Paddle
- Hand pump
- 2 fins
- Seat
- Gear bag
- Carry bag
- Repair patch

SPECIFICATIONS

	65118E	65118
MATERIAL	Premium Nylon Cover	Premium Nylon Cover
WEIGHT CAPACITY	286 lbs (130 kg)	286 lbs (130 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	29.9 lbs (13.5 kg)	29.9 lbs (13.5 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



**2 REMOVABLE FINS
IN DIFFERENT SIZES**



9





HYDRO FORCE
VENTURA ELITE X1

NEW
GEN

VENTURA ELITE™ X2 KAYAK SET

65052/E

INFLATED SIZE

10 ft. 10 in. x 34 in. / 3.30 m x 86 cm

DEFLATED SIZE

10 ft. 11 in. x 44 in. / 3.33 m x 1.13 m

FEATURES

1. Nylon cover is removable for easy cleaning
2. 2 removable side chambers & I-beam floor made from heavy-duty PVC
3. 2 adjustable, molded foam seats with storage compartment
4. Oar clasps to secure paddles when not in use
5. 2 removable fins in different sizes for directional support in various water conditions
6. Partial grab ropes with built-in grommets
7. 4 heavy-duty carry handles
8. Pair of 91 in. (230 cm) aluminum paddles
9. Air Hammer™ 2800 mL dual action hand pump (#62086)
10. Removable mesh gear bag
11. Quick-inflation / deflation Boston valves
12. Drain valve

CONTENTS

- Kayak
- 2 seats
- 2 paddles
- Gear bag
- Hand pump
- Carry bag
- 2 fins
- Repair patch

SPECIFICATIONS

	65052E	65052
MATERIAL	Premium Nylon Cover	Premium Nylon Cover
WEIGHT CAPACITY	485 lbs (220 kg)	485 lbs (220 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	37.3 lbs (16.9 kg)	37.3 lbs (16.9 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



2 REMOVABLE FINS
IN DIFFERENT SIZES



9



8



4

1

2

3

10

5

6

7



HYDRO FORCE
VENTURA ELITE

**NEW
GEN**

COVE CHAMPION™ X1 KAYAK SET

65115/E

INFLATED SIZE

9 ft. x 32 in. / 2.75 m x 81 cm

DEFLATED SIZE

9 ft. x 40 in. / 2.75 m x 1.02 m

FEATURES


1. Firm and rigid inflatable floor
2. Enclosed cockpit to prevent water pooling
3. Inflatable seat for comfort
4. 2 removable fins in different sizes for directional support in various water conditions
5. Storage cord and net
6. Partial grab ropes with built-in grommets
7. 91 in. (230 cm) aluminum paddle (#62174)
8. Air Hammer™ 1850 mL dual action hand pump (#62003)
9. Interlocking quick-release valves
10. Drain valve

CONTENTS

- Kayak
- Paddle
- Hand pump
- 2 fins
- Carry bag
- Repair patch

SPECIFICATIONS

	65115E	65115
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	265 lbs (120 kg)	265 lbs (120 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	20.7 lbs (9.4 kg)	20.7 lbs (9.4 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



**2 REMOVABLE FINS
IN DIFFERENT SIZES**



NEW
GEN

COVE CHAMPION™ X2 KAYAK SET

65131/E

INFLATED SIZE

10 ft. 10 in. x 35 in. / 3.31 m x 88 cm

DEFLATED SIZE

10 ft. 10 in. x 36 in. / 3.31 m x 91 cm

FEATURES

1. Firm and rigid inflatable floor
2. Enclosed cockpit to prevent water pooling
3. 2 adjustable inflatable seats for comfort
4. 2 removable fins in different sizes for directional support in various water conditions
5. Storage cord and net
6. Partial grab ropes with built-in grommets
7. Pair of 91 in. (230 cm) aluminum paddles (#62174)
8. Air Hammer™ 1850 mL dual action hand pump (#62003)
9. Interlocking quick-release valves
10. Drain valve

CONTENTS

- Kayak
- 2 paddles
- Hand pump
- 2 fins
- Carry bag
- Repair patch



2 REMOVABLE FINS
IN DIFFERENT SIZES

SPECIFICATIONS

	651131E	65131
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	485 lbs (220 kg)	485 lbs (220 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	28.8 lbs (13.1kg)	28.8 lbs (13.1kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



NEW

DASH ELITE™ X1 KAYAK SET

65178/E

INFLATED SIZE

11 ft. x 36 in. x 12 in. / 3.35 m x 92 cm x 30 cm

DEFLATED SIZE

11 ft. 1 in. x 38 in. / 3.38 m x 96 cm

FEATURES

1. Adjustable, molded foam seat with supportive high back and storage compartment
2. Floor-mounted footrest
3. Keel features a water separator for better tracking and improved speed
4. 2 removable fins in different sizes for directional support in various water conditions
5. Elastic cord for added storage
6. 4 heavy-duty carry handles
7. 91 in. (230 cm) aluminum paddle (#62174)
8. 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
9. Premium, durable backpack with large front pocket
10. High pressure inflation / deflation valves

CONTENTS

- Kayak
- Paddle
- Hand pump
- 2 fins
- Seat
- Footrest
- Backpack
- Repair kit

SPECIFICATIONS

	65178E	65178
MATERIAL	ToughLite™ TPU	ToughLite™ TPU
FLOOR MATERIAL	FortiFiber™ Aire Drop Stitch	FortiFiber™ Aire Drop Stitch
WEIGHT CAPACITY	375 lbs (170 kg)	375 lbs (170 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	28.1 lbs (12.8 kg)	28.1 lbs (12.8 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



2 REMOVABLE FINS
IN DIFFERENT SIZES



9



8



7



3

5

2

1

4

6





TURN UP YOUR LEVEL OF

Adventure



Bestway

FISH, SIGHT-SEE, EXPLORE

RAFTS

Available in a wide variety of sizes, Hydro Force® rafts accommodate each user's needs. Made with durable and puncture-resistant materials, our rafts provide a superior way to paddle, fish or just float along. With the added benefits of storage and portability that come with inflatable products, this collection of rafts promises rides to remember.





RAFTS MATRIX

NEW GEN

**KONDOR™ 1000 RAFT /
KONDOR ELITE™
1000 RAFT**
61136E/NE / 61135


**KONDOR™ 2000 RAFT + SET /
KONDOR ELITE™ 2000
RAFT + SET**
61140E/NE + 61142E/NE /
61139 + 61141

**KONDOR™ 3000 RAFT SET /
KONDOR ELITE™ 3000
RAFT SET**
61146E/NE / 61145

NEW

**TREK™ X2
RAFT SET**
61153/E

**TREK™ X3
RAFT SET**
61154/E



INFLATED LENGTH	4 ft. 11 in. (1.49 m)	5 ft. 4 in. (1.62 m)	6 ft. 1 in. (1.85 m)	6 ft. 5 in. (1.96 m)	6 ft. 11 in. (2.12 m)	8 ft. 1 in. (2.46 m)	7 ft. 7 in. (2.32 m)	9 ft. 8 in. (2.94 m)
INFLATED WIDTH	33 in. (85 cm)	38 in. (96 cm)	38 in. (97 cm)	42 in. (106 cm)	48 in. (122 m)	48 in. (122 m)	46 in. (118 m)	54 in. (137 m)
WEIGHT CAPACITY	120 lbs (55 kg)	176 lbs (80 kg)	210 lbs (95 kg)	264 lbs (120 kg)	410 lbs (186 kg)	440 lbs (200 kg)	551 lbs (250 kg)	794 lbs (360 kg)
OARS			61142E/NE	61141	61146E/NE	61145	.	.
PUMP			61142E/NE	61141	61146E/NE	61145	.	.
PASSENGERS								
CATEGORY	Youth	Youth	Youth	Youth	Youth	Youth	Recreational	Recreational

NEW

**ADVENTURE ELITE™
X4 RAFT SET**
65158/E



10 ft. 4 in. (3.15 m)

65 in. (1.65 m)

1,102 lbs (500 kg)



Recreational

**ADVENTURE ELITE™
X5 RAFT SET**
65159/E



11 ft. 11 in. (3.64 m)

65 in. (1.66 m)

1,323 lbs (600 kg)



Recreational

**VOYAGER™
X3 RAFT SET**
65164/E



9 ft. 8 in. (2.94 m)

54 in. (1.37 m)

794 lbs (360 kg)



Fishing

NEW GEN

**VOYAGER™
X4 RAFT SET**
65156/E



11 ft. 6 in. (3.50 m)

57 in. (1.45 m)

1,058 lbs (480 kg)



Fishing

**RANGER ELITE™
X3 RAFT SET**
65160/E



9 ft. 8 in. (2.95 m)

51 in. (1.30 m)

880 lbs (400 kg)



Fishing

**RANGER ELITE™
X4 RAFT SET**
65157/E



10 ft. 6 in. (3.20 m)

58 in. (1.48 m)

1,103 lbs (500 kg)



Fishing

NEW
GEN

KONDOR™ 1000

NEW
GEN

KONDOR™ 2000

61136E/NE RAFT

INFLATED SIZE

4 ft. 11 in. x 33 in. /
1.49 m x 85 cm

FEATURES

1. Inflatable floor for extra comfort
2. Sturdy oarlocks
3. Front tow rope for easy transport
4. Interlocking quick release valve

CONTENTS

- Boat
- Repair patch



SPECIFICATIONS

WEIGHT CAPACITY	120 lbs (55 kg)
PASSENGERS	1 Adult
CASE PACK	6 pcs
LB. (KG)	17.6 lbs (8.0 kg)
PACKAGING	Full color box

61140E/NE RAFT 61142E/NE RAFT SET

INFLATED SIZE

6 ft. 1 in. x 38 in. / 1.85 m x 97 cm

FEATURES

1. Inflatable floor for extra comfort
2. Sturdy oarlocks
3. Front tow rope for easy transport
4. 1 pair of 49 in. (124 cm) oars (#62015) (61142E/NE)
5. Air Step 300 mL single action foot pump (#62147) (61142E/NE)
6. Interlocking quick release valve

CONTENTS

- Boat
- Pair of oars (61142E/NE)
- Foot pump (61142E/NE)
- Repair patch



SPECIFICATIONS

	61140E/NE	61142E/NE
WEIGHT CAPACITY	210 lbs (95 kg)	210 lbs (95 kg)
PASSENGERS	1 Adult + 1 Child	1 Adult + 1 Child
CASE PACK	6 pcs	3 pcs
LB. (KG)	28.2 lbs (12.8 kg)	24.6 lbs (11.2 kg)
PACKAGING	Full color box	Full color box



NEW GEN **KONDOR™**
3000

61146E/NE RAFT SET

INFLATED SIZE

6 ft. 11 in. x 48 in. / 2.12 m x 1.22 m

FEATURES

1. Inflatable floor for extra comfort
2. Sturdy oarlocks
3. Front tow rope for easy transport
4. 1 pair of 49 in. (124 cm) oars (#62015)
5. Air Hammer 850 mL dual action hand pump (#62002)
6. Interlocking quick release valve

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Repair patch



SPECIFICATIONS

WEIGHT CAPACITY	410 lbs (186 kg)
PASSENGERS	2 Adults + 1 Child
CASE PACK	3 pcs
LB. (KG)	33.3 lbs (15.1 kg)
PACKAGING	Full color box



NEW
GEN

KONDOR ELITE™ 1000

61135 RAFT

INFLATED SIZE

5 ft. 4 in. x 38 in. / 1.62 m x 96 cm

FEATURES

1. 3 air chamber construction
2. Inflatable floor for extra comfort
3. Sturdy oarlocks
4. Wraparound grab rope with built-in grommets
5. Heavy-duty handle
6. Interlocking quick release valves

CONTENTS

- Boat
- Repair patch



SPECIFICATIONS

WEIGHT CAPACITY	176 lbs (80 kg)
PASSENGERS	1 Adult
CASE PACK	6 pcs
LB. (KG)	32.1 lbs (14.6 kg)
PACKAGING	Full color box

NEW
GEN

KONDOR ELITE™ 2000

61139 RAFT 61141 RAFT SET

INFLATED SIZE

6 ft. 5 in. x 42 in. / 1.96 m x 1.06 m

FEATURES

1. 3 air chamber construction
2. Inflatable floor for extra comfort
3. Sturdy oarlocks
4. Oar clasps
5. Wraparound grab rope with built-in grommets
6. Heavy-duty handle
7. Pair of 49 in. (124 cm) oars (#62015) (61141)
8. Air Step 300 mL single action foot pump (#62147) (61141)
9. Interlocking quick release valves

CONTENTS

- Boat
- Pair of oars (61141)
- Foot pump (61141)
- Repair patch



SPECIFICATIONS

	61139	61141
WEIGHT CAPACITY	264 lbs (120 kg)	264 lbs (120 kg)
PASSENGERS	1 Adult + 1 Child	1 Adult + 1 Child
CASE PACK	3 pcs	3 pcs
LB. (KG)	25.8 lbs (11.6 kg)	35.7 lbs (16.2 kg)
PACKAGING	Full color box	Full color box

NEW
GEN

KONDOR ELITE™ 3000

61145 RAFT SET

INFLATED SIZE

8 ft. 1 in. x 48 in. / 2.46 m x 1.22 m

FEATURES

1. 3 air chamber construction
2. Inflatable floor for extra comfort
3. Sturdy oarlocks
4. Oar clasps
5. Wraparound grab rope with built-in grommets
6. Heavy-duty handle
7. Pair of 49 in. (124 cm) oars (#62015)
8. Air Hammer 850 mL dual action hand pump (#62002)
9. Interlocking quick release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Repair patch

SPECIFICATIONS

WEIGHT CAPACITY	440 lbs (200 kg)
PASSENGERS	2 Adults + 1 Child
CASE PACK	2 pcs
LB. (KG)	34.0 lbs (15.4 kg)
PACKAGING	Full color box





NEW

TREK™ X2 RAFT SET

61153/E

INFLATED SIZE

7 ft. 7 in. x 46 in. / 2.32 m x 1.18 m

DEFLATED SIZE

8 ft. x 52 in. / 2.45 m x 1.31 m

FEATURES

1. Firm and rigid inflatable floor
2. Sturdy oarlocks
3. Oar clasps
4. Wraparound grab rope with built-in grommets
5. Heavy-duty carry handle
6. Pair of 49 in. (1.24 m) oars (#62015)
7. Air Hammer 850 mL dual action hand pump (#62002)
8. Interlocking quick-release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Repair patch



SPECIFICATIONS

	61153E	61153
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	551 lbs (250 kg)	551 lbs (250 kg)
CASE PACK	2 pcs	2 pcs
LB. (KG)	34.8 lbs (15.8 kg)	34.8 lbs (15.8 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS

NEW

TREK™ X3 RAFT SET

61154/E

INFLATED SIZE

9 ft. 8 in. x 54 in. / 2.94 m x 1.37 m

DEFLATED SIZE

10 ft. 2 in. x 62 in. / 3.09 m x 1.57 m

FEATURES

1. Firm and rigid inflatable floor
2. Sturdy oarlocks
3. Oar clasps
4. Wraparound grab rope with built-in grommets
5. Heavy-duty carry handle
6. Pair of 49 in. (1.24 m) oars (#62015)
7. Air Hammer 1850 mL dual action hand pump (#62003)
8. Interlocking quick-release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Repair patch



SPECIFICATIONS

	61154E	61154
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	794 lbs (360 kg)	794 lbs (360 kg)
CASE PACK	2 pcs	2 pcs
LB. (KG)	51.8 lbs (23.5 kg)	51.8 lbs (23.5 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS

NEW

ADVENTURE ELITE™ X4 RAFT SET

65158/E

INFLATED SIZE

10 ft. 4 in. x 65 in. / 3.15 m x 1.65 m

DEFLATED SIZE

10 ft. 10 in. x 73 in. / 3.31 m x 1.86 m

FEATURES

1. Includes motor mount grommets for use with 1.5 HP (1.1 kW) mount (motor and mount not included)
2. Firm and rigid inflatable floor
3. 2 comfortable inflatable seats with backrests
4. Sturdy oarlocks
5. Oar clasps
6. Built-in fishing rod holders
7. Wraparound grab rope with built-in grommets
8. 2 heavy-duty carry handles
9. Pair of 57 in. (145 cm) aluminum oars
10. Air Hammer 2800 mL dual action hand pump (#62086)
11. Gear pouch for storing essentials
12. Quick-inflation / deflation Boston valves
13. Interlocking quick-release valves

CONTENTS

- Boat
- Gear pouch
- Pair of oars
- Carry bag
- Hand pump
- Repair patch

SPECIFICATIONS

	65158E	65158
MATERIAL	Inflata-Shield Pro™	Inflata-Shield Pro™
WEIGHT CAPACITY	1,102 lbs (500 kg)	1,102 lbs (500 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	54.2 lbs (24.6 kg)	54.2 lbs (24.6 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS





NEW
GEN

ADVENTURE ELITE™ X5 RAFT SET

65159/E

INFLATED SIZE

11 ft. 11 in. x 65 in. / 3.64 m x 1.66 m

DEFLATED SIZE

12 ft. 4 in. x 74 in. / 3.77 m x 1.87 m

FEATURES

1. Includes motor mount grommets for use with 1.5 HP (1.1 kW) mount (motor and mount not included)
2. Firm and rigid inflatable floor
3. 2 comfortable inflatable seats with backrests and 1 removable cushion
4. Sturdy oarlocks
5. Oar clasps
6. Built-in fishing rod holders
7. Wraparound grab rope with built-in grommets
8. 2 heavy-duty carry handles
9. Pair of 57 in. (145 cm) aluminum oars (#62064)
10. Air Hammer 2800 mL dual action hand pump (#62086)
11. Gear pouch for storing essentials
12. Quick-inflation / deflation Boston valves
13. Interlocking quick-release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Gear pouch
- Carry bag
- Repair patch

SPECIFICATIONS

	65159E	65159
MATERIAL	Inflata-Shield Pro™	Inflata-Shield Pro™
WEIGHT CAPACITY	1,323 lbs (600 kg)	1,323 lbs (600 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	62.0 lbs (28.1 kg)	62.0 lbs (28.1 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



INFLATA-
SHIELD
PRO™





NEW GEN **VOYAGER™ X3**
RAFT SET

65164/E

INFLATED SIZE

9 ft. 8 in. x 54 in. / 2.94 m x 1.37 m

DEFLATED SIZE

10 ft. 2 in. x 63 in. / 3.09 m x 1.59 m

FEATURES

1. Includes motor mount grommets for use with 1.5 HP (1.1 kW) mount (motor and mount not included)
2. Firm and rigid inflatable floor
3. 2 comfortable inflatable seats
4. Sturdy oarlocks
5. Oar clasps
6. Built-in fishing rod holders
7. Wraparound grab rope with built-in grommets
8. 1 heavy-duty carry handle
9. Pair of 57 in. (145 cm) aluminum oars (#62064)
10. Air Hammer 1850 mL dual action hand pump (#62003)
11. Gear pouch for storing essentials
12. Interlocking quick-release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Gear pouch
- Carry bag
- Repair patch



SPECIFICATIONS

	65164E	65164
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	794 lbs (360 kg)	794 lbs (360 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	32.7 lbs (14.8 kg)	32.7 lbs (14.8 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS

**NEW
GEN**

VOYAGER™ X4 RAFT SET

65156/E

INFLATED SIZE

11 ft. 6 in. x 57 in. / 3.50 m x 1.45 m

DEFLATED SIZE

12 ft. x 66 in. / 3.66 m x 1.68 m

FEATURES

1. Includes motor mount grommets for use with 1.5 HP (1.1 kW) mount (motor and mount not included)
2. Firm and rigid inflatable floor
3. 2 comfortable inflatable seats
4. Sturdy oarlocks
5. Oar clasps
6. Built-in fishing rod holders
7. Wraparound grab rope with built-in grommets
8. 1 heavy-duty carry handle
9. Pair of 57 in. (145 cm) aluminum oars (#62064)
10. Air Hammer 1850 mL dual action hand pump (#62003)
11. Gear pouch for storing essentials
12. Interlocking quick-release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Gear pouch
- Carry bag
- Repair patch



SPECIFICATIONS

	65156E	65156
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	1,058 lbs (480 kg)	1,058 lbs (480 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	38.5 lbs (17.4 kg)	38.5 lbs (17.4 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



**NEW
GEN**

RANGER ELITE™ X3 RAFT SET

65160/E

INFLATED SIZE

9 ft. 8 in. x 51 in. x 18 in. / 2.95 m x 1.30 m x 46 cm

DEFLATED SIZE

9 ft. 10 in. x 59 in. / 3.00 m x 1.50 m

FEATURES

1. Includes motor mount grommets for use with 2 HP (1.5 kW) mount (motor and mount not included)
2. Firm and rigid inflatable floor
3. 2 removable seat cushions
4. Omni-directional oarlocks
5. Oar clasps
6. Built-in fishing rod holders
7. Wraparound grab rope with built-in grommets
8. 2 heavy-duty carry handles
9. Pair of 60 in. (152 cm) aluminum oars
10. Air Hammer 2800 mL dual action hand pump (#62086)
11. Gear pouch for storing essentials
12. Quick-inflation / deflation Boston valves
13. Interlocking quick-release valves

CONTENTS

- Boat
- Gear pouch
- Pair of oars
- Carry bag
- Hand pump
- Repair patch



SPECIFICATIONS

	65160E	65160
MATERIAL	Tritech®	Tritech®
WEIGHT CAPACITY	880 lbs (400 kg)	880 lbs (400 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	42.0 lbs (19.1 kg)	42.0 lbs (19.1 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS

**NEW
GEN**

RANGER ELITE™ X4 RAFT SET

65157/E

INFLATED SIZE

10 ft. 6 in. x 58 in. x 19 in. / 3.20 m x 1.48 m x 47 cm

DEFLATED SIZE

10 ft. 9 in. x 66 in. / 3.28 m x 1.68 m

FEATURES

1. Includes motor mount grommets for use with 3 HP (2.2 kW) mount (motor and mount not included)
2. Firm and rigid inflatable floor
3. 3 removable seat cushions
4. Omni-directional oarlocks
5. Oar clasps
6. Built-in fishing rod holders
7. Wraparound grab rope with built-in grommets
8. 2 heavy-duty carry handles
9. Pair of 60 in. (152 cm) aluminum oars
10. Air Hammer 2800 mL dual action hand pump (#62086)
11. Gear pouch for storing essentials
12. Quick-inflation / deflation Boston valves
13. Interlocking quick-release valves

CONTENTS

- Boat
- Gear pouch
- Pair of oars
- Carry bag
- Hand pump
- Repair patch



SPECIFICATIONS

	65157E	65157
MATERIAL	Tritech®	Tritech®
WEIGHT CAPACITY	1,103 lbs (500 kg)	1,103 lbs (500 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	50.4 lbs (22.9 kg)	50.4 lbs (22.9 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS

YOUR ADVENTURE AWAITS

BOATS

A lightweight and durable option for dedicated boaters, the Hydro Force® line of sport boats provides an easy and convenient way to get on the water. From floating along to fishing excursions, these boats are made of durable materials that will hold up season after season. This collection provides the storage and portability benefits of inflatable products, along with the durability and capability of hard-sided boats.





HYDRO FORCE

BOATS MATRIX

NEW

CORINTH ELITE™ SPORT BOAT SET 65177/E

NEW GEN

CASPIAN ELITE™ SPORT BOAT SET 65046/E

MIROVIA ELITE™ SPORT BOAT SET 65049/E

13 FT. (3.96 M)
12 FT. (3.66 M)
11 FT. (3.35 M)
10 FT. (3.05 M)
9 FT. (2.74 M)
8 FT. (2.44 M)
7 FT. (2.13 M)
6 FT. (1.83 M)
5 FT. (1.52 M)
4 FT. (1.22 M)
3 FT. (91 CM)
2 FT. (61 CM)
1 FT. (30 CM)



INFLATED LENGTH	7 ft. 6 in. (2.30 m)	7 ft. 6 in. (2.30 m)	10 ft. 10 in. (3.30 m)
INFLATED WIDTH	51 in. (1.30 m)	51 in. (1.30 m)	64 in. (1.62 m)
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)	1,411 lbs (640 kg)
INTERNAL VOLUME	127 gal. (480 l)	107 gal. (405 l)	267 gal. (1,011 l)
OARS	.	.	.
PASSENGERS			



NEW

CORINTH ELITE™ SPORT BOAT SET

65177/E

INFLATED SIZE

7 ft. 6 in. x 51 in. x 13 in. / 2.30 m x 1.30 m x 33 cm

FEATURES

- 3 HP motor mount with marine-grade plywood transom (motor not included)
- Firm and rigid inflatable floor
- Removable seat cushion
- Omni-directional oarlocks
- Durable strake protects against impact and friction
- Steel tow rings
- 33 ft. (10 m) tow rope
- Partial grab ropes with built-in grommets
- Pair of 60 in. (152 cm) aluminum oars
- 2800 mL dual action hand pump with 0.5-2.0 PSI pressure gauge (analog)
- Quick-inflation / deflation Boston valves
- Interlocking quick-release valves
- Quick-release drain valve

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Carry bag
- Repair kit

SPECIFICATIONS

	65177E	65177
MATERIAL	Tritech®	Tritech®
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	52.7 lbs (23.9 kg)	52.7 lbs (23.9 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS





HYDRO
FORCE

HYDRO
FORCE

**NEW
GEN**

CASPIAN ELITE™ SPORT BOAT SET

65046/E

INFLATED SIZE

7 ft. 6 in. x 51 in. x 13 in. / 2.30 m x 1.30 m x 33 cm

FEATURES

1. 3 HP motor mount with marine-grade plywood transom (motor not included)
2. Sturdy aluminum bench seat
3. Omni-directional oarlocks
4. Durable strake protects against impact and friction
5. Steel tow rings
6. 33 ft. (10 m) tow rope
7. Partial grab ropes with built-in grommets
8. Pair of 57 in. (145 cm) oars
9. 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
10. High pressure inflation / deflation valves
11. Quick-release drain valve

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Repair kit

SPECIFICATIONS

	65046E	65046
MATERIAL	Tritech®	Tritech®
FLOOR MATERIAL	FortiFiber™ Drop Stitch	FortiFiber™ Drop Stitch
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	57.3 lbs (26.0 kg)	57.3 lbs (26.0 kg)
PACKAGING	Sturdy cardboard box with pictures	Sturdy cardboard box with pictures
CERTIFICATION	NMMA	GS





HYDRO
FORCE

HYDRO FORCE

**NEW
GEN**

MIROVIA ELITE™ SPORT BOAT SET

65049/E

INFLATED SIZE

10 ft. 10 in. x 64 in. x 17 in. / 3.30 m x 1.62 m x 44 cm

FEATURES

1. 15 HP motor mount with marine-grade plywood transom (motor not included)
2. Sturdy aluminum bench seat
3. Omni-directional oarlocks
4. Durable strake protects against impact and friction
5. Keel for better direction and ease through the water
6. Steel tow rings
7. 33 ft. (10 m) tow rope
8. Partial grab ropes with built-in grommets
9. 4 heavy-duty carry handles
10. Pair of 64 in. (162 cm) aluminum oars
11. 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
12. Secure tie-down for oil and gas can
13. High pressure inflation / deflation valves
14. Quick-release drain valve

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Carry bag
- Repair kit

SPECIFICATIONS

	65049E	65049
MATERIAL	Tritech®	Tritech®
FLOOR MATERIAL	FortiFiber™ Drop Stitch	FortiFiber™ Drop Stitch
WEIGHT CAPACITY	1,411 lbs (640 kg)	1,411 lbs (640 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	98.5 lbs (44.7 kg)	98.5 lbs (44.7 kg)
PACKAGING	Sturdy cardboard box with pictures	Sturdy cardboard box with pictures
CERTIFICATION	NMMA	GS






HYDRO FORCE

LIFE'S BETTER ON THE LAKE

FLOATS

Hydro Force® was made for fun in the sun with family and friends! Featuring top-notch, durable designs for the pool, river or beach, and fun accessories including built-in backrests, cup holders and storage buckets, it's a recipe for next-level comfort and endless hours of good times!





FLOATS MATRIX

TUBES

			NEW GEN
	BREEZE RIDER™ SINGLE TUBE 36401/E 	WHITECAP RIDER™ SINGLE TUBE 43108/E 	RAPID RIDER™ SINGLE TUBE 43116/E 
INFLATED SIZE	41.5 in. x 41.5 in. x 10.5 in. / 1.06 m x 1.06 m x 27 cm	41.5 in. x 17.5 in. / 1.06 m x 45 cm	48 in. x 19 in. / 1.22 m x 48.5 cm
WEIGHT CAPACITY	220 lbs (100 kg)	220 lbs (100 kg)	330 lbs (150 kg)
PASSENGERS			

LOUNGES

INDIGO WAVE™ LOUNGE 43533/E 
6 ft. x 38 in. x 21 in. / 1.83 m x 97 cm x 53.5 cm
220 lbs (100 kg)


NEW GEN

NEW GEN

	RAPID RIDER™ DOUBLE TUBE 43113/E 	RAPID RIDER™ QUAD TUBE 43115E 	RAPID RIDER™ SINGLE CANOPY TUBE 43725/E 	RAPID RIDER™ ULTRA SINGLE TUBE 43726/E 
INFLATED SIZE	7 ft. 10.5 in. x 48 in. x 19.5 in. / 2.40 m x 1.22 m x 50 cm	7 ft. 11 in. x 7 ft. 11 in. x 20 in. / 2.41 m x 2.41 m x 51 cm	48.5 in. x 48.5 in. x 20 in. / 1.23 m x 1.23 m x 51 cm	60 in. x 52 in. x 19.5 in. / 1.52 m x 1.32 m x 50 cm
WEIGHT CAPACITY	550 lbs (250 kg)	1,102 lbs (500 kg)	330 lbs (150 kg)	496 lbs (225 kg)
PASSENGERS				

NEW GEN

SUN SOAKER™ FLOATING PLATFORM 43542/E 
8 ft. 10 in. x 72 in. x 10 in. / 2.69 m x 1.83 m x 25.5 cm
880 lbs (400 kg)


ISLANDS

	LAZY DAYZ™ ISLAND 43536/E 	SUMMER OASIS™ ISLAND 43645/E 	SUNNY LOUNGE™ ISLAND 43407/E 
INFLATED SIZE	7 ft. 10 in. x 7 ft. 10 in. x 25 in. / 2.39 m x 2.39 m x 63.5 cm	10 ft. x 6 ft. 1 in. x 23 in. / 3.05 m x 1.86 m x 58 cm	9 ft. 6 in. x 8 ft. 8 in. x 33 in. / 2.91 m x 2.65 m x 83 cm
WEIGHT CAPACITY	880 lbs (400 kg)	880 lbs (400 kg)	1,102 lbs (500 kg)
PASSENGERS			

	NEW		NEW DESIGN
	DAY DRIFTER™ ISLAND 43842/E 	SUMMER SLIDE™ ACTIVITY ISLAND 43728/E 	TROPICAL BREEZE™ ISLAND 43105/E 
INFLATED SIZE	9 ft. 2 in. x 8 ft. 10 in. x 17 in. / 2.79 m x 2.69 m x 43 cm	11 ft. 11 in. x 9 ft. 8 in. x 30 in. / 3.65 m x 2.95 m x 77 cm	12 ft. 3 in. x 8 ft. 8 in. x 28.5 in. / 3.73 m x 2.64 m x 73 cm
WEIGHT CAPACITY	1,102 lbs (500 kg)	1,102 lbs (500 kg)	1,320 lbs (600 kg)
PASSENGERS			





PLANOGRAM STORE DISPLAY



Actual in-store displays may vary.

ENHANCED MATERIALS



INFLATA-SHIELD™ MATERIAL

Inflata-Shield™ is a puncture resistant material that provides our lounges and islands with:

- An extra strong barrier that holds up against rocks and sharp objects
- Increased tensile strength limiting stretching and allowing for greater rigidity
- Embossed texture to enhance products' grip

COLOR SHIELD™

Color Shield™ protective layer prevents the color printing from transferring onto skin when wet. Plus, it also keeps the colors bright and vibrant for use summer after summer!

BREEZE RIDER™ SINGLE TUBE



36401/E

INFLATED SIZE

41.5 in. x 41.5 in. x 10.5 in. /
1.06 m x 1.06 m x 27 cm

DEFLATED SIZE

47 in. / 1.19 m

FEATURES

1. Colorful water design
2. Partial grab rope with built-in grommets

CONTENTS

- Single tube
- Repair patch



SPECIFICATIONS

WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	1
CASE PACK	6 pcs
LB. (KG)	12.0 lbs (5.4 kg)
PACKAGING	Full color box



WHITECAP RIDER™ SINGLE TUBE

COLOR
SHIELD™

43108/E

INFLATED SIZE

41.5 in. x 17.5 in. /
1.06 m x 45 cm

DEFLATED SIZE

47 in. / 1.19 m

FEATURES

1. Premium construction with backrest
2. Cooling mesh bottom
3. 1 cup holder
4. Wraparound grab rope with built-in grommets
5. 2 heavy-duty carry handles
6. Interlocking quick release valves

CONTENTS

- Single tube
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	1
CASE PACK	6 pcs
LB. (KG)	20.4 lbs (9.2 kg)
PACKAGING	Full color box



NEW
GEN

RAPID RIDER™ SINGLE TUBE

COLOR
SHIELD™

43116/E

INFLATED SIZE

48 in. x 19 in. /
1.22 m x 48.5 cm

DEFLATED SIZE

53 in. x 53 in. /
1.35 m x 1.35 m

FEATURES

1. 2 Clasp 'N Go™ connectable buckles
2. Premium construction with backrest
3. Cooling mesh bottom
4. 2 cup holders
5. Wraparound grab rope with built-in grommets
6. 2 heavy-duty carry handles
7. Interlocking quick release valves

CONTENTS

- Single tube
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	330 lbs (150 kg)
PASSENGERS	1
CASE PACK	4 pcs
LB. (KG)	20.0 lbs (9.1 kg)
PACKAGING	Full color box



NEW
GEN

RAPID RIDER™ DOUBLE TUBE

COLOR
SHIELD™

43113/E

INFLATED SIZE

7 ft. 10.5 in. x 48 in. x 19.5 in. /
2.40 m x 1.22 m x 50 cm

DEFLATED SIZE

8 ft. 3 in. x 52 in. /
2.51 m x 1.32 m

FEATURES

1. 2 Clasp 'N Go™ connectable buckles
2. 2 backrests
3. Cooling mesh bottom
4. 2 cup holders
5. Built-in inflatable cooler
6. Built-in storage compartment
7. Wraparound grab rope with built-in grommets
8. 2 heavy-duty carry handles
9. Interlocking quick release valves

CONTENTS

- Double tube
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	550 lbs (250 kg)
PASSENGERS	2
CASE PACK	2 pcs
LB. (KG)	22.7 lbs (10.3 kg)
PACKAGING	Full color box



**NEW
GEN**

RAPID RIDER™ QUAD TUBE

COLOR
SHIELD™

43115E

INFLATED SIZE

7 ft. 11 in. x 7 ft. 11 in. x 20 in. /
2.41 m x 2.41 m x 51 cm

DEFLATED SIZE

8 ft. 5 in. x 8 ft. 5 in. /
2.57 m x 2.57 m

FEATURES

1. Premium construction with 4 backrests
2. Cooling mesh bottom
3. 4 cup holders
4. 4 built-in coolers
5. Wraparound grab rope with built-in grommets
6. 2 heavy-duty carry handles
7. Interlocking quick release valves

CONTENTS

- Quad tube
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	1,102 lbs (500 kg)
PASSENGERS	4
CASE PACK	1 pcs
LB. (KG)	20.6 lbs (9.4 kg)
PACKAGING	Full color box





RAPID RIDER™ SINGLE CANOPY TUBE

COLOR
SHIELD™

43725/E

INFLATED SIZE

48.5 in. x 48.5 in. x 20 in. /
1.23 m x 1.23 m x 51 cm

DEFLATED SIZE

54 in. x 54 in. /
1.37 m x 1.37 m

FEATURES

1. 2 Clasp 'N Go™ connectable buckles
2. Removable sunshade for protection from harsh sunlight
3. Premium construction with backrest
4. Cooling mesh bottom
5. 1 cup holder
6. Wraparound grab rope with built-in grommets
7. 2 heavy-duty carry handles
8. Interlocking quick release valves

CONTENTS

- Single tube
- Sunshade
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	330 lbs (150 kg)
PASSENGERS	1
CASE PACK	3 pcs
L.B. (KG)	21.4 lbs (9.7 kg)
PACKAGING	Full color box



RAPID RIDER™ ULTRA SINGLE TUBE



43726/E

INFLATED SIZE

60 in. x 52 in. x 19.5 in. /
1.52 m x 1.32 m x 50 cm

DEFLATED SIZE

65 in. x 58 in. /
1.65 m x 1.48 m

FEATURES

1. 2 Clasp 'N Go™ connectable buckles
2. Premium construction with backrest
3. Cooling mesh bottom
4. 1 cup holder
5. 1 splash-proof zippered storage compartment
6. Wraparound grab rope with built-in grommets
7. 2 heavy-duty carry handles
8. Interlocking quick release valves

CONTENTS

- Single tube
- Repair patch



SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	496 lbs (225 kg)
PASSENGERS	1
CASE PACK	3 pcs
L.B. (KG)	24.5 lbs (11.1 kg)
PACKAGING	Full color box

INDIGO WAVE™ LOUNGE



43533/E

INFLATED SIZE

6 ft. x 38 in. x 21 in. /
1.83 m x 97 cm x 53.5 cm

DEFLATED SIZE

6 ft. 3 in. x 42 in. /
1.91 m x 1.07 m

FEATURES

1. Premium construction with armrests and headrest
2. 1 cup holder

CONTENTS

- Lounge
- Repair patch



SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	1
CASE PACK	6 pcs
L.B. (KG)	25.6 lbs (11.6 kg)
PACKAGING	Full color box



**NEW
GEN**

SUN SOAKER™ FLOATING PLATFORM

**COLOR
SHIELD™**

43542/E

INFLATED SIZE

8 ft. 10 in. x 72 in. x 10 in. /
2.69 m x 1.83 m x 25.5 cm

DEFLATED SIZE

9 ft. 6 in. x 6 ft. 3 in. /
2.90 m x 1.91 m

FEATURES

- 1. 4 Clasp 'N Go™ connectable buckles
- 2. Extra wide pillows on each end
- 3. 2 cup holders
- 4. Interlocking quick release valves

CONTENTS

- Platform
- Repair patch



SPECIFICATIONS

	43542E	43542
MATERIAL	Inflata-Shield™	Inflata-Shield™
WEIGHT CAPACITY	880 lbs (400 kg)	880 lbs (400 kg)
PASSENGERS	4	4
CASE PACK	2 pcs	2 pcs
LB. (KG)	34.2 lbs (15.5 kg)	34.5 lbs (15.6 kg)
PACKAGING	Full color box	Full color box

LAZY DAYZ™ ISLAND

COLOR
SHIELD™

43536/E

INFLATED SIZE

7 ft. 10 in. x 25 in. /
2.39 m x 63.5 cm

DEFLATED SIZE

8 ft. 5 in. x 8 ft. 5 in. /
2.56 m x 2.56 m

FEATURES

1. 4 extra-wide pillow backrests
2. Cooling mesh area
3. 4 cup holders
4. 2 built-in storage compartments
5. Wraparound grab rope with built-in grommets
6. 2 heavy-duty carry handles
7. Interlocking quick release valves

CONTENTS

- Island
- Anchor bag
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	880 lbs (400 kg)
PASSENGERS	4
CASE PACK	1 pcs
LB. (KG)	27.4 lbs (12.4 kg)
PACKAGING	Full color box



NEW

DAY DRIFTER™ ISLAND

COLOR
SHIELD™

43842/E

INFLATED SIZE

9 ft. 2 in. x 8 ft. 10 in. x 17 in. /
2.79 m x 2.69 m x 43 cm

DEFLATED SIZE

9 ft. 10 in. x 9 ft. 5 in. /
3.00 m x 2.87m

FEATURES

1. 2 Clasp 'N Go™ connectable buckles
2. Premium construction with backrest
3. Cooling mesh bottom
4. Open center area to dip feet into the water
5. 5 cup holders
6. 5 heavy-duty carry handles
7. Interlocking quick-release valves

CONTENTS

- Island
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	1,102 lbs (500 kg)
PASSENGERS	5
CASE PACK	1 pcs
LB. (KG)	19.6 lbs (8.9 kg)
PACKAGING	Full color box





SUMMER OASIS™ ISLAND

COLOR
SHIELD™

43645/E

INFLATED SIZE

10 ft. x 6 ft. 1 in. x 23 in. /
3.05 m x 1.86 m x 58 cm

DEFLATED SIZE

10 ft. 6 in. x 6 ft. 6 in. /
3.20 m x 1.98 m

FEATURES

1. Removable sunshade for protection from harsh sunlight
2. Extra-wide pillow backrest
3. Cooling mesh seating area
4. 4 cup holders
5. Partial grab rope with built-in grommets for ease of use and docking
6. 2 heavy-duty carry handles
7. Interlocking quick release valves

CONTENTS

- Island
- Sunshade
- Anchor bag
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	880 lbs (400 kg)
PASSENGERS	4
CASE PACK	1 pcs
LB. (KG)	29.0 lbs (13.2 kg)
PACKAGING	Full color box



SUNNY LOUNGE™ ISLAND

COLOR
SHIELD

43407/E

INFLATED SIZE

9 ft. 6 in. x 8 ft. 8 in. x 33 in. /
2.91 m x 2.65 m x 83 cm

DEFLATED SIZE

9 ft. 10 in. x 9 ft. /
3.00 m x 2.75 m

FEATURES

1. Removable sunshade for protection from harsh sunlight
2. 3 supportive backrests
3. Cooling mesh area
4. 5 cup holders
5. Partial grab rope with built-in grommets
6. 2 heavy-duty carry handles
7. Interlocking quick-release valves

CONTENTS

- Island
- Sunshade
- Anchor bag
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	1,102 lbs (500 kg)
PASSENGERS	5
CASE PACK	1 pcs
LB. (KG)	49.3 lbs (22.4 kg)
PACKAGING	Full color box



NEW
DESIGN

TROPICAL BREEZE™ ISLAND

COLOR
SHIELD™

43105/E

INFLATED SIZE

12 ft. 3 in. x 8 ft. 8 in. x 28.5 in. /
3.73 m x 2.64 m x 73 cm

DEFLATED SIZE

12 ft. 9 in. x 9 ft. /
3.89 m x 2.74 m

FEATURES

1. Removable sunshade for protection from harsh sunlight
2. Extra-wide pillow backrest
3. Cooling mesh area
4. 1 removable zippered cooler bag
5. Swim-up water entry pad
6. 6 cup holders
7. Grab rope on both ends with built-in grommets
8. 4 heavy-duty carry handles
9. Interlocking quick-release valves

CONTENTS

- Island
- Anchor bag
- Cooler bag
- Sunshade
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	1,320 lbs (600 kg)
PASSENGERS	6
CASE PACK	1 pcs
LB. (KG)	58.4 lbs (26.5 kg)
PACKAGING	Full color box





SUMMER SLIDE™ ACTIVITY ISLAND

COLOR
SHIELD™

43728/E

INFLATED SIZE

11 ft. 11 in. x 9 ft. 8 in. x 30 in. /
3.65 m x 2.95 m x 77 cm

DEFLATED SIZE

12 ft. 4 in. x 10 ft. 2 in. /
3.76 m x 3.11 m

FEATURES

- 1 detachable slide
- 2 Cooling mesh seating area
- 3 4 cup holders
- 4 Partial grab rope with built-in grommets for ease of use and docking
- 5 5 heavy-duty carry handles
- 6 Interlocking quick release valves

CONTENTS

- Island
- Slide
- Anchor bag
- Repair patch

SPECIFICATIONS

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	1,102 lbs (500 kg)
PASSENGERS	5
CASE PACK	1 pcs
LB. (KG)	56.0 lbs (25.4 kg)
PACKAGING	Full color box





MAKING YOUR LIFE A BREEZE

ACCESSORIES

Perfect for any of our rafts, kayaks and boats, Hydro Force® accessories make navigating the open water a breeze. Built from durable materials and providing a variety of features, these accessories are essential for each exploration down the river, around the lake or out on the ocean.



ALUMINUM KAYAK PADDLE

62174/E

LENGTH

91 in. / 230 cm

FEATURES

1. 91 in. (230 cm) aluminum paddle
2. 3 locking positions allow for right or left-handed feathering adjustment
3. 5-section structure for easy transportation and storage
4. Asymmetric blade design
5. Comfortable, non-slip handle made of shrinkable polyolefin



SPECIFICATIONS

CASE PACK	6 prs
LB. (KG)	15.0 lbs (6.8 kg)
PACKAGING	Polybag with header card



NEW GEN OARS

62015/E

LENGTH

49 in. / 124 cm

FEATURES

1. 3-section structure
2. Easy to assemble and disassemble
3. Ribbed blade
4. Light and strong plastic material



SPECIFICATIONS

CASE PACK	12 prs
LB. (KG)	28.9 lbs (13.1 kg)
PACKAGING	Polybag with header card



PREMIUM OARS

62064/E

LENGTH

57 in. / 145 cm

FEATURES

1. Multi-functional
 - Use as two 57 in. (145 cm) oars
 - Combine and use as a single 86 in. (218 cm) twin blade paddle
2. Aluminum pole sectionals
3. Sturdy twist-locking section connectors and blades




SPECIFICATIONS

CASE PACK	6 prs
LB. (KG)	19.0 lbs (8.6 kg)
PACKAGING	Polybag with header card



OPTIONAL
ASSEMBLY

BOAT COMPATIBILITY CHART



	PRODUCT	62174/E	62015/E	62064/E	MAX. POWER
65115/E	Cove Champion™ X1 Kayak Set	·			
65131/E	Cove Champion™ X2 Kayak Set	·			
65176/E	Rapid™ X1 Kayak Set	·			
65077/E	Rapid™ X2 Kayak Set	·			
65132/E	Rapid™ X3 Kayak Set	·			
65118/E	Ventura Elite™ X1 Kayak Set	·			
65052/E	Ventura Elite™ X2 Kayak Set	·			
65178/E	Dash Elite™ X1 Kayak Set	·			
61136E/NE / 61135	Kondor™ 1000 Raft/ Kondor Elite™ 1000 Raft				
61140E/NE / 61139	Kondor™ 2000 Raft / Kondor Elite™ 2000 Raft				
61142E/NE / 61141	Kondor™ 2000 Raft Set / Kondor Elite™ 2000 Raft Set				
61146E/NE / 61145	Kondor™ 3000 Raft Set / Kondor Elite™ 3000 Raft Set				
61153/E	Trek™ X2 Raft Set				
61154/E	Trek™ X3 Raft Set				
65164/E	Voyager™ X3 Raft Set			·	1.5 HP (1.1 kW)
65156/E	Voyager™ X4 Raft Set			·	1.5 HP (1.1 kW)
65160/E	Ranger Elite™ X3 Raft Set				2.0 HP (1.5 kW)
65157/E	Ranger Elite™ X4 Raft Set				3.0 HP (2.25 kW)
65158/E	Adventure Elite™ X4 Raft Set				1.5 HP (1.1 kW)
65159/E	Adventure Elite™ X5 Raft Set			·	1.5 HP (1.1 kW)
65177/E	Corinth Elite™ Sport Boat Set				3.0 HP (2.25 kW)
65046/E	Caspian Elite™ Sport Boat Set				3.0 HP (2.25 kW)
65049/E	Mirovia Elite™ Sport Boat Set				15.0 HP (11.2 kW)



AIR STEP™ MANUAL AIR PUMPS

62147/E 300ML

FEATURES

1. 5 in. / 13 cm
2. Stroke volume: 0.3 L/cycle
3. Easily switches from inflation to deflation
4. Flexible hose
5. Two-color design
6. Large air chamber for rapid inflation
7. 3 valve adaptors to fit nearly every inflation valve
8. Designed to provide maximum airflow
9. Polybag with header card



SPECIFICATIONS

CASE PACK	36 pcs
LB. (KG)	12.3 lbs (5.6 kg)
LANGUAGE	INTL / US

62023 800ML

FEATURES

1. 9 in. x 6 in. / 23 cm x 15 cm
2. Stroke volume: 0.8 L/cycle
3. Easily switches from inflation to deflation
4. Flexible hose
5. 3 valve adaptors to fit nearly every inflation valve
6. Designed to provide maximum airflow
7. Shrink-wrapped with insert card



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	10.5 lbs (4.8 kg)
LANGUAGE	INTL

AIR HAMMER™ MANUAL AIR PUMPS

62002/E 850ML

FEATURES

1. 12 in. / 30 cm
2. Stroke volume: 0.85 L/cycle
3. Quickly inflates with the up and down stroke
4. Flexible hose
5. 3 valve adaptors to fit nearly every inflation valve
6. Designed to provide maximum airflow
7. Full color box



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	10.6 lbs (4.8 kg)
LANGUAGE	INTL / US

62003/E 1850ML

FEATURES

1. 14 in. / 36 cm
2. Stroke volume: 1.85 L/cycle
3. Quickly inflates with the up and down stroke
4. Flexible hose
5. 3 valve adaptors to fit nearly every inflation valve
6. Designed to provide maximum airflow
7. Full color box



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	14.4 lbs (6.5 kg)
LANGUAGE	INTL / US

62086/E 2800ML

FEATURES

1. 14.5 in. / 37 cm
2. Stroke volume: 2.8 L/cycle
3. Quickly inflates or deflates with the up and down stroke
4. Easily switches from inflation to deflation
5. Flexible hose
6. 3 valve adaptors to fit nearly every inflation valve
7. Full color box



SPECIFICATIONS

CASE PACK	6 pcs
LB. (KG)	11.1 lbs (5.1 kg)
LANGUAGE	INTL / US

62004 1400ML

FEATURES

1. 11 in. x 7.5 in. / 28 cm x 19 cm
2. Stroke volume: 1.4 L/cycle
3. Easily switches from inflation to deflation
4. Flexible hose
5. 3 valve adaptors to fit nearly every inflation valve
6. Designed to provide maximum airflow
7. Shrink-wrapped with insert card



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	151 lbs (6.9 kg)
LANGUAGE	INTL

62005/E 1600ML

FEATURES

1. 11 in. x 8.5 in. / 28 cm x 22 cm
2. Stroke volume: 1.6 L/cycle
3. Easily switches from inflation to deflation
4. Flexible hose
5. 3 valve adaptors to fit nearly every inflation valve
6. Designed to provide maximum airflow
7. Shrink-wrapped with insert card



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	19.9 lbs (9.0 kg)
LANGUAGE	INTL / US

62030/E 3500ML

FEATURES

1. 19 in. / 48 cm
2. Stroke volume: 3.5 L/cycle
3. Quickly inflates or deflates with the up and down stroke
4. Easily switches from inflation to deflation
5. Flexible hose
6. 3 valve adaptors to fit nearly every inflation valve
7. Full color box



SPECIFICATIONS

CASE PACK	4 pcs
LB. (KG)	9.4 lbs (4.3 kg)
LANGUAGE	INTL / US

SPORT HIGH-PRESSURE

62227/E

FEATURES

1. 9.8 in. x 4 in. x 25.5 in. / 25 cm x 10.5 cm x 65 cm
2. Stroke volume: 1.8 L/cycle (one-way), 3.45 L/cycle (two-way)
3. Quickly inflates or deflates with the up and down stroke
4. Easily switches from inflation to deflation
5. Single/double switch pump (up to 7 PSI in double-action mode, up to 23 PSI in single-action mode)
6. Suitable for most high-pressure inflatable vessels with working pressure between 5-23 PSI
7. Easy-to-read display with built-in pressure sensor
8. Flexible hose
9. 5 valve adaptors to fit nearly every inflation valve
10. Full color box

SPECIFICATIONS

CASE PACK	4 pcs
LB. (KG)	14.6 lbs (6.6 kg)
LANGUAGE	INTL / US



ELECTRIC AIR PUMPS

	VOLTAGE	REQUIRED BATTERIES	RECHARGEABLE	MAX AIR FLOW	MAX AIR PRESSURE	INFLATES & DEFLATES	VALVE ADAPTORS	CERTIFICATION
62252	220-240 AC			680 L/min	390 mmH2O (0.55 PSI / 0.038 BAR)	·	3	CE / GS / EAC / CM / UKCA
62253	110-120 AC			680 L/min	390 mmH2O (0.55 PSI / 0.038 BAR)	·	3	cETLus
62253E	110-120 AC			680 L/min	390 mmH2O (0.55 PSI / 0.038 BAR)	·	3	cETLus
62254		4x LR20/D (Not included)		430 L/min	270 mmH2O (0.38 PSI / 0.026 BAR)	·	3	CE / GS / EAC / UKCA
62254E		4x LR20/D (Not included)		430 L/min	270 mmH2O (0.38 PSI / 0.026 BAR)	·	3	
62255	220-240 AC 12V DC			490 L/min	335 mmH2O (0.476 PSI / 0.0328 BAR)	·	3	CE / GS / EAC / UKCA
62299	110-120 AC 12V DC			620 L/min	335 mmH2O (0.476 PSI / 0.0328 BAR)	·	3	cETLus
62299E	110-120 AC 12V DC			620 L/min	335 mmH2O (0.476 PSI / 0.0328 BAR)	·	3	cETLus
62257	12V DC			680 L/min	355 mmH2O (0.50 PSI / 0.0348 BAR)	·	3	CE / GS / EAC / UKCA
62257E	12V DC			680 L/min	355 mmH2O (0.50 PSI / 0.0348 BAR)	·	3	cETLus
62258	220-240 AC			1100 L/min	680 mmH2O (0.97 PSI / 0.067 BAR)	·	3	CE / GS / EAC / CM / UKCA
62259	110-120 AC			1100 L/min	680 mmH2O (0.97 PSI / 0.067 BAR)	·	3	cETLus
62259E	110-120 AC			1100 L/min	680 mmH2O (0.97 PSI / 0.067 BAR)	·	3	cETLus
62260			4x 1500 mAH (Integrated)	565 L/min	370 mmH2O (0.52 PSI / 0.036 BAR)	·	3	CE / GS / EAC / UKCA
62260E			4x 1500 mAH (Integrated)	565 L/min	370 mmH2O (0.52 PSI / 0.036 BAR)	·	3	ETLus
62247	220-240 AC			1200 L/min	1540 mmH2O (2.2 PSI / 0.152 BAR)	·	4	CE / GS / EAC / CM / UKCA
62248	110-120 AC			1200 L/min	1540 mmH2O (2.2 PSI / 0.152 BAR)	·	4	cETLus
62248E	110-120 AC			1200 L/min	1540 mmH2O (2.2 PSI / 0.152 BAR)	·	4	cETLus
62265	12V DC			300 L/min	16 PSI	·	5	CE / GS / E-Mark / EAC / UKCA
62265E	12V DC			300 L/min	16 PSI	·	5	cETLus
62289	5V DC			90 L/min	300 mmH2O (0.427 PSI / 0.029 BAR)	·	3	CE / Safety Mark / EAC / UKCA
62289E	5V DC			90 L/min	300 mmH2O (0.427 PSI / 0.029 BAR)	·	3	

AC AIR PUMPS

Feature plugs that can be inserted directly into a household outlet.

DC AIR PUMPS

Feature plugs that can be inserted into a car outlet.





POWERTOUCH™ ELECTRIC AIR PUMPS

NEW

POCKET USB MINI



62289/E

FEATURES

1. 2.24 in. x 1.97 in. x 2.56 in. / 5.7 cm x 5 cm x 6.5 cm
2. Max Air Flow: 90 L/min
3. Max Pressure: 300 mmH2O (0.427 PSI / 0.029 BAR)
4. Quickly inflates and deflates camping pads and other smaller items
5. DC 5V 2A
6. Pump includes a USB power cord, compatible with AC or DC plugs and some external battery packs
7. Compact size is easy to carry for camping or use on-the-go
8. Two-color design
9. 3 valve adaptors to fit nearly every type of inflation valve
10. Full color box

SPECIFICATIONS

	62289E	62289
CASE PACK	12 pcs	12 pcs
LB. (KG)	4.5 lbs (2.0 kg)	5.0 lbs (2.3 kg)
LANGUAGE	US	INTL

AC



62252 / 62253/E

FEATURES

1. 4.45 in. x 3.98 in. x 4.3 in. / 11.3 cm x 10.1 cm x 11 cm
2. Max Air Flow: 680 L/min
3. 110-120V~60Hz,0.95A (62253/E)
4. 220-240V~50/60Hz,110W (62252)
5. Max Pressure: 390 mmH2O (0.55 PSI / 0.038 BAR)
6. Quickly inflates and deflates almost all inflatable products
7. Designed to provide maximum airflow
8. Two-color design
9. Large air chamber for rapid inflation
10. 3 valve adaptors to fit nearly every inflation valve
11. Full color box

SPECIFICATIONS

	62253/E	62252
CASE PACK	12 pcs	12 pcs
LB. (KG)	12.8 lbs (5.8 kg)	12.8 lbs (5.8 kg)
LANGUAGE	NA / US	INTL

DC



62257/E

FEATURES

1. 4.45 in. x 3.98 in.x 4.80 in. / 11.3 cm x 10.1 cm x 12.2 cm
2. Max Air Flow: 680 L/min
3. DC 12V 8A (62257E)
4. DC 12V 96W (62257)
5. Max Pressure: 355 mmH2O (0.50 PSI / 0.0348 BAR)
6. Quickly inflates and deflates almost all inflatable products
7. Designed to provide maximum airflow
8. Two-color design
9. Large air chamber for rapid inflation
10. Powered by 12V DC car plug
11. 3 valve adaptors to fit nearly every inflation valve
12. Full color box

SPECIFICATIONS

	62257E	62257
CASE PACK	12 pcs	12 pcs
LB. (KG)	15.1 lbs (6.9 kg)	15.3 lbs (7.0 kg)
LANGUAGE	US	INTL

AC/DC



62255 / 62299/E

FEATURES

1. 4.45 in. x 3.98 in. x 4.21 in. / 11.3 cm x 10.1 cm x 10.7 cm
2. Max Air Flow: 620 L/min (62299/E)
3. Max Air Flow: 490 L/min (62255)
4. DC 12V 2.5A (62299/E)
5. DC 12V 30W (62255)
6. Max Pressure: 335 mmH2O (0.476 PSI / 0.0328 BAR)
7. Quickly inflates and deflates almost all inflatable products
8. Designed to provide maximum airflow
9. Two-color design
10. Large air chamber for rapid inflation
11. Powered by 110V home power outlet or 12V car outlet (62299/E)
12. Powered by 220V home power outlet or 12V car outlet (62255)
13. 3 valve adaptors to fit nearly every inflation valve
14. Full color box

SPECIFICATIONS

	62299/E	62255
CASE PACK	12 pcs	12 pcs
LB. (KG)	14.6 lbs (6.6 kg)	14.5 lbs (6.6 kg)
LANGUAGE	NA / US	INTL



POWERTOUCH™ ELECTRIC AIR PUMPS

D CELL

RECHARGEABLE



62254/E

62260/E

FEATURES

1. 4.88 in x 4.17 in x 4.09 in / 12.4 cm x 10.6 cm x 10.4 cm
2. Max Air Flow: 430 L/min
3. DC 6.0V 40W
4. Max Pressure: 270 mmH2O (0.38 PSI / 0.026 BAR)
5. Quickly inflates and deflates almost all inflatable products
6. Designed to provide maximum airflow
7. Two-color design
8. Large air chamber for rapid inflation
9. Uses 4x LR20/D Cell size batteries (not included)
10. 3 valve adaptors to fit nearly every inflation valve
11. Full color box

FEATURES

1. 4.53 in. x 3.98 in. x 4.09 in. / 11.5 cm x 10.1 cm x 10.4 cm
2. Max Air Flow: 565 L/min
3. DC 4.8V 55W
4. Max Pressure: 370 mmH2O (0.52 PSI / 0.036 BAR)
5. Quickly inflates and deflates almost all inflatable products
6. Designed to provide maximum airflow
7. Two-color design
8. Large air chamber for rapid inflation
9. Built-in rechargeable batteries - 4x 1500 mAh capacity
10. USB powered
11. 3 valve adaptors to fit nearly every inflation valve
12. Full color box

SPECIFICATIONS

	62254E	62254
CASE PACK	12 pcs	12 pcs
LB. (KG)	9.3 lbs (4.2 kg)	9.9 lbs (4.5 kg)
LANGUAGE	US	INTL

SPECIFICATIONS

	62260E	62260
CASE PACK	12 pcs	12 pcs
LB. (KG)	11.2 lbs (5.1 kg)	11.9 lbs (5.4 kg)
LANGUAGE	US	INTL

POWERGRIP™ ELECTRIC AIR PUMPS

AC



62258 / 62259/E

FEATURES

1. 7.99 in. x 4.84 in. x 4.88 in. / 20.3 cm x 12.3 cm x 12.4 cm
2. 110-120V~60Hz, 2A (62259/E)
3. 220-240V~50/60Hz, 210W (62258)
4. Max air flow: 1100 L/min
5. Max pressure: 680 mmH2O (0.97 PSI / 0.067 BAR)
6. Two-color design
7. Quickly inflates and deflates almost all inflatable products
8. Large air chamber for rapid inflation
9. 3 valve adaptors to fit nearly every inflation valve
10. Designed to provide maximum airflow
11. Full color box

SPECIFICATIONS

	62259/E	62258
CASE PACK	12 pcs	12 pcs
LB. (KG)	24.3 lbs (11.0 kg)	23.8 lbs (10.8 kg)
LANGUAGE	NA / US	INTL

PRO AC



62247 / 62248/E

FEATURES

1. 7.8 in. x 4.84 in. x 4.88 in. / 19.8 cm x 12.3 cm x 12.4 cm
2. 110-120V~60Hz, 4.5A (62248/E)
3. 220-240V~50/60Hz, 500W (62247)
4. Max air flow: 1200 L/min
5. Max pressure: 1540 mmH2O (2.2 PSI / 0.152 BAR)
6. Two-color design
7. Quickly inflates and deflates almost all inflatable products
8. Large air chamber for rapid inflation
9. 4 valve adaptors to fit nearly every inflation valve
10. Designed to provide maximum airflow
11. Full color box

SPECIFICATIONS

	62248/E	62247
CASE PACK	12 pcs	12 pcs
LB. (KG)	27.4 lbs (12.4 kg)	27.5 lbs (12.5 kg)
LANGUAGE	NA / US	INTL

DC - SPORT HIGH-PRESSURE



62265/E

FEATURES

1. 10.16 in. x 9.88 in. x 3.98 in. / 25.8 cm x 25.1 cm x 10.1 cm
2. DC 12V 9A (62265E)
3. DC 12V 108W (62265)
4. Max Air Flow: 300 L/min
5. Max Pressure: 16 PSI
6. Suitable for all inflatables from small air chamber items to stand-up paddleboards and professional boats with working pressures between 0-16 PSI
7. Dual motor provides great performance at both low and high pressures
8. Powered by 12V DC car plug
9. Easy-to-read LCD display with built-in preset pressure sensors
10. Switches between PSI and BAR
11. Automatic shut off triggers when predetermined pressure is reached preventing over-inflation
12. 5 valve adaptors to fit nearly every inflation valve
13. Fully adjustable pressure settings (increments of 0.5 PSI)
14. Full color box

SPECIFICATIONS

	62265E	62265
CASE PACK	6 pcs	6 pcs
LB. (KG)	28.7 lbs (13.0 kg)	28.9 lbs (13.1 kg)
LANGUAGE	US	INTL





INDEX

65349	AQUA JOURNEY SET	P22	65159/E	ADVENTURE ELITE™ X5 RAFT SET	P66	62064/E	PREMIUM OARS	P106
65350	OCEANA CONVERTIBLE SET	P24	65164/E	VOYAGER™ X3 RAFT SET	P68	62147/E	AIR STEP™ PUMPS	P108
65308	KAHAWAI SET	P26	65156/E	VOYAGER™ X4 RAFT SET	P69	62023	AIR STEP™ PUMPS	P108
65363	PANORAMA™ SET	P28	65160/E	RANGER ELITE™ X3 RAFT SET	P70	62004	AIR STEP™ PUMPS	P109
65310	FREESOUL™ TECH CONVERTIBLE SET	P30	65157/E	RANGER ELITE™ X4 RAFT SET	P71	62005/E	AIR STEP™ PUMPS	P109
65373	AQUA EXCURSION™ TECH SET	P32	65177/E	CORINTH ELITE™ SPORT BOAT SET	P76	62002/E	AIR HAMMER™ PUMPS	P108
65176/E	RAPID™ X1 KAYAK SET	P40	65046/E	CASPIAN ELITE™ SPORT BOAT SET	P78	62003/E	AIR HAMMER™ PUMPS	P108
65077/E	RAPID™ X2 KAYAK SET	P41	65049/E	MIROVIA ELITE™ SPORT BOAT SET	P80	62086/E	AIR HAMMER™ PUMPS	P108
65132/E	RAPID™ X3 KAYAK SET	P42	36401/E	BREEZE RIDER™ SINGLE TUBE	P88	62030/E	AIR HAMMER™ PUMPS	P109
65118/E	VENTURA ELITE™ X1 KAYAK SET	P44	43108/E	WHITECAP RIDER™ SINGLE TUBE	P89	62227/E	AIR HAMMER™ PUMPS	P109
65052/E	VENTURA ELITE™ X2 KAYAK SET	P46	43116/E	RAPID RIDER™ SINGLE TUBE	P90	62289/E	POWERTOUCH POCKET™ USB ELECTRIC AIR PUMP	P112
65115/E	COVE CHAMPION™ X1 KAYAK SET	P48	43113/E	RAPID RIDER™ DOUBLE TUBE	P90	62252	POWERTOUCH™ AC ELECTRIC AIR PUMP	P113
65131/E	COVE CHAMPION™ X2 KAYAK SET	P49	43115E	RAPID RIDER™ QUAD TUBE	P91	62253/E	POWERTOUCH™ AC ELECTRIC AIR PUMP	P113
65178/E	DASH ELITE™ X1 KAYAK SET	P50	43725/E	RAPID RIDER™ SINGLE CANOPY TUBE	P92	62257/E	POWERTOUCH™ DC ELECTRIC AIR PUMP	P113
61136/E	KONDOR™ 1000 RAFT	P58	43726/E	RAPID RIDER™ ULTRA SINGLE TUBE	P93	62255	POWERTOUCH™ AC/DC ELECTRIC AIR PUMP	P113
61140/E	KONDOR™ 2000 RAFT	P58	43533/E	INDIGO WAVE™ LOUNGE	P93	62299/E	POWERTOUCH™ AC/DC ELECTRIC AIR PUMP	P113
61142/E	KONDOR™ 2000 RAFT SET	P58	43542/E	SUN SOAKER™ FLOATING PLATFORM	P94	62254/E	POWERTOUCH™ D CELL ELECTRIC AIR PUMP	P114
61146/E	KONDOR™ 3000 RAFT SET	P59	43536/E	LAZY DAYZ™ ISLAND	P95	62260/E	POWERTOUCH™ RECHARGEABLE ELECTRIC AIR PUMP	P114
61135	KONDOR ELITE™ 1000 RAFT	P60	43842/E	DAY DRIFTER™ ISLAND	P96	62258	POWERGRIP™ AC ELECTRIC AIR PUMP	P115
61139	KONDOR ELITE™ 2000 RAFT	P60	43645/E	SUMMER OASIS™ ISLAND	P98	62259/E	POWERGRIP™ AC ELECTRIC AIR PUMP	P115
61141	KONDOR ELITE™ 2000 RAFT SET	P60	43407/E	SUNNY LOUNGE™ ISLAND	P99	62247	POWERGRIP™ PRO AC ELECTRIC AIR PUMP	P115
61145	KONDOR ELITE™ 3000 RAFT SET	P61	43105/E	TROPICAL BREEZE™ ISLAND	P100	62248/E	POWERGRIP™ PRO AC ELECTRIC AIR PUMP	P115
61153/E	TREK™ X2 RAFT SET	P62	43728/E	SUMMER SLIDE™ ACTIVITY ISLAND	P102	62265/E	POWERGRIP™ SPORT HIGH-PRESSURE DC ELECTRIC AIR PUMP	P115
61154/E	TREK™ X3 RAFT SET	P63	62174/E	ALUMINUM KAYAK PADDLE	P106			
65158/E	ADVENTURE ELITE™ X4 RAFT SET	P64	62015/E	OARS	P106			



LIVE IT UP

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most. **LIVE IT UP TOGETHER WITH BESTWAY.**

Bestway

WWW.BESTWAYCORP.COM   

©2024 Bestway Inflatables & Material Corp. All rights reserved.
©™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

